EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L16	34	15 and @ad<="20040223"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2010/03/10 22:17
L15	80	14 and encod$4	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2010/03/10 22:16
L14	102	11 and ((edit$4 modif$8) with (barcode (bar near3 code)))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2010/03/10 22:16
L13	4	12 and (edit$5 modif$8)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2010/03/10 22:08
L12	4	11 and (encod$4 with (edit$4 modif $8) with (barcode (bar near3 code)))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2010/03/10 22:05
L11	3633	watermark and (barcode (bar near2 code))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2010/03/10 22:04
L10	1	8 and (region area)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2010/03/10 21:09
L9	1	8 and whether	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2010/03/10 21:07
L8	1	"20030229857"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2010/03/10 21:06
L7	1	2 and whether	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2010/03/10 21:03
L6	1	5 and (delet$4 remov$4 eras$4)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2010/03/10 20:59
L5	1	3 and reconstruct$4	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2010/03/10 20:58

L4	0	3 and restor$4	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2010/03/10 20:56
L3	1	"20020083324"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2010/03/10 20:56
L2	1	"20040123099"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2010/03/10 20:28
L1	0	"20040123099" and restor$4	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2010/03/10 20:28
S136	13	S132 and (retouch$4 re-touch$4)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2010/03/10 16:41
S135	0	S134 not S130	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2010/03/10 16:40
S134	11	S133 and @ad<="20040223"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2010/03/10 16:39
S133	44	S132 and watermark	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2010/03/10 16:39
S132	14846	without with (eras$4 remov$4 delet$4 extract$4) with line	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2010/03/10 16:39
S131	13361	without with (eras$4 remov$4 delet$4 extract) with line	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2010/03/10 16:39
S130	11	S129 and @ad<="20040223"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2010/03/10 16:36
S129	39	S124 and watermark	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2010/03/10 16:36
S128	136	S125 and @ad<="20040223"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2010/03/10 16:35

S127	0	S125 and signature	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2010/03/10 16:34
S126	0	S125 and watermark	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2010/03/10 16:34
S125	173	without with (eras$4 remov$4 delet $4 extract) with (straight near3 line)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2010/03/10 16:34
S124	13361	without with (eras$4 remov$4 delet $4 extract) with (line (straight near3 line))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2010/03/10 16:33
S123	12252	without with (remov$4 delet$4 extract) with (line (straight near3 line))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2010/03/10 16:33
S122	54	S121 not S119	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2010/03/10 16:05
S121	56	S120 and @ad<="20040223"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2010/03/10 16:05
S120	97	watermark and (restor$4 with line)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2010/03/10 16:05
S119	3	watermark and (restor$4 with straight with line)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2010/03/10 16:03
S118	1	S116 and (remov$4 extract$4 delet $4)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2010/03/10 16:00
S117	4682	S112 and (remov$4 extract$4 delet $4)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2010/03/10 15:59
S116	1	"20040123099"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2010/03/10 15:59
S115	1	"20070283250"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2010/03/10 14:44

S114	55	S113 and @ad<="20040223"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2010/03/10 14:18
S113	127	S112 and (straight near3 line)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2010/03/10 14:18
S112	5169	watermark and (signature)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2010/03/10 14:18
S111	37	S110 not S107	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2010/03/10 09:48
S110	39	S109 and @ad<="20040223"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2010/03/10 09:47
S109	95	S108 and (line)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2010/03/10 09:47
S108	144	watermark and (retouch$4 re-touch $4)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2010/03/10 09:47
S107	60	S105 and @ad<="20040223"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2010/03/10 09:32
S106	1	S103 and (without with (straight near2 line))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2010/03/10 09:30
S105	152	S103 and (straight near2 line)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2010/03/10 09:30
S104	1	S103 and (except$8 with (straight near2 line))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2010/03/10 09:29
S103	3633	watermark and (barcode (bar near2 code))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2010/03/10 09:29
S102	1	"20070283250"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2010/03/10 09:27

S101	1	S100 and signal	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2010/03/10 09:23
S100	1	"20020083324"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2010/03/10 09:23
S99	1	S98 and signal	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2010/03/10 09:19
S98	12	S97 and @ad<="20040223"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2010/03/10 08:31
S97	25	watermark and (coordinate same blank same (region area))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2010/03/10 08:31
S96	12	S95 and @ad<="20040223"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2010/03/09 20:10
S95	25	watermark and (coordinate same blank same (region area))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2010/03/09 20:08
S94	1	S93 and signal	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2010/03/09 20:06
S93	1	S92 and (rewrit$4 re-writ$4)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2010/03/09 20:06
S92	1	"20020083324"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2010/03/09 20:05
S91	2	"20020172395"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2010/03/09 16:28
S90	1	"20070283250"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2010/03/09 16:11
S89	18981	watermark	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2010/03/09 16:10

		"20070283250"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2010/03/09 15:33
		"20070283250"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2010/03/09 14:30
		"20020172395"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2010/03/09 14:24
		"20020172395"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2010/03/09 14:24
S88	4	S87 and watermark	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2010/03/09 13:53
S87	137	S86 and akitoshi	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2010/03/09 13:53
S86	17778	Tsukamoto.inv.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2010/03/09 13:53
S85	2	"20020172395"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2010/03/09 13:52
S84	1	"20020083324" and (compress$4 reduc$4)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2010/03/09 11:46
S83	1	"20020083324" and (writ$4 rewrit$4)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2010/03/09 11:40
S82	1	S81 and (retouch$4 re-touch$4)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2010/03/09 11:39
S81	4	S80 and watermark	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2010/03/09 11:38
S80	137	S79 and akitoshi	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2010/03/09 11:38

S79	17778	Tsukamoto.inv.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2010/03/09 11:38
S78	1	"20030229857"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2010/03/09 11:38
S77	1	"20020083324" and register$4	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2010/03/09 11:27
S76	1	"20020083324" and pattern	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2010/03/09 10:35
S75	1	"20020083324" and (remov$4 delet $4)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2010/03/09 10:33
		"20020083324" and (remov$4 delet $4)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2010/03/09 10:25
S74	1	"20020083324" and overwrit$5	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2010/03/08 17:13
S73	1	"20020083324" and replac$6	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2010/03/08 17:12
S72	1	"20020083324" and pattern	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2010/03/08 17:01
S71	0	S70 and color	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2010/03/08 15:36
S70	1	"20020083324"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2010/03/08 15:36
S69	0	S68 and color	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2010/03/08 15:35
S68	1	"20030229857"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2010/03/08 15:35

S67	1	S66 and (writ$4 overwrit$4 rewrit$4)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2010/03/05 13:20
S66	1	"20020083324"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2010/03/05 13:20
S65	2	S63 and chang$4	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2010/03/05 12:58
S64	2	S63 and (edit$4 modif$7)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2010/03/05 11:08
S63	2	"20030128863"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2010/03/05 11:07
S62	1	"7362311".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2010/03/04 20:55
S61	1	"7433548".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2010/03/04 16:46
S60	5	method same system same converting same digital same image same text same file same high-resolution same render$4	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2010/03/04 16:45
S59	1	"20020015042"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2010/03/04 09:09
S58	1	"20070283250" and original	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2010/03/03 15:38
S57	1	S56 and area	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2009/09/11 20:49
S56	1	"6944314".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2009/09/11 20:49
S55	1	"20070283250" and origin$4	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2009/09/11 20:39

S54	325	S53 and (extract$4 remov$4)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2009/09/11 13:04
S53	350	S52 and @ad<="20040223"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2009/09/11 13:04
S52	784	((modif$8 edit$4) with (based accord $4)) and (embed$4 with (watermark (water near3 mark)))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2009/09/11 13:04
S51	325	S50 and (extract$4 remov$4)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2009/09/10 15:25
S50	350	S49 and @ad<="20040223"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2009/09/10 15:25
S49	784	((modif$8 edit$4) with (based accord $4)) and (embed$4 with (watermark (water near3 mark)))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2009/09/10 15:24
S48	1	"20070283250" and (re-touch$4 retouch$4)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2009/09/10 09:56
S47	1	"20070283250" and origin$4	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2009/09/10 09:22
S46	1	S45 and origin$4	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2009/09/08 15:59
S45	1	"20070283250"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2009/09/08 15:59
S44	2	S41 and origin$4	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2009/09/08 14:25
S43	2	S41 and (generat$4 creat$4)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2009/09/08 14:24
S42	2	S41 and edit$4	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2009/09/08 14:08

S41	2	"20030059086"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2009/09/08 14:07
S40	1	S39 and edit$4	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2009/09/08 13:33
S39	1	"7065237".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2009/09/08 13:33
S38	64	(watermark and (barcode (bar near2 code))) and edit$4 and (blackout (black$4 near2 out) black-out)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2009/09/08 10:05
S37	1	(watermark and (barcode (bar near2 code))) and edit$4 and (blackout (black$4 near2 out) black-out) and (retouch$4 re-touch$4)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2009/09/08 10:05
S36	1	"7467348".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2009/09/08 09:52
S35	1	S34 and process$4	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2009/09/08 09:09
S34	1	"20060107252"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2009/09/08 09:08
S33	82	S32 not S28	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2009/09/07 20:24
S32	182	S31 and (edit$4 modif$8)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2009/09/07 20:24
S31	182	S30 and @ad<="20040223"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2009/09/07 20:24
S30	351	S29 and (barcode (bar near4 code))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2009/09/07 20:24
S29	2094	((edit$4 modif$8) with embed$4) and (watermark$4 (water near3 mark $4))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2009/09/07 20:24

S28	100	S27 and @ad<="20040223"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2009/09/07 20:24
S27	207	S26 and (barcode (bar near4 code))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2009/09/07 20:24
S26	1158	(edit$4 modif$8) with embed$4 with (watermark$4 (water near3 mark $4))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2009/09/07 20:24
S25	82	S24 not S19	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2009/09/07 15:13
S24	182	S23 and (edit$4 modif$8)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2009/09/07 15:12
S23	182	S22 and @ad<="20040223"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2009/09/07 15:12
S22	351	S21 and (barcode (bar near4 code))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2009/09/07 15:12
S21	2094	((edit$4 modif$8) with embed$4) and (watermark$4 (water near3 mark $4))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2009/09/07 15:12
S20	100	S19 and (edit$4 modif$8)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2009/09/07 14:14
S19	100	S18 and @ad<="20040223"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2009/09/07 13:50
S18	207	S17 and (barcode (bar near4 code))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2009/09/07 13:50
S17	1158	(edit$4 modif$8) with embed$4 with (watermark$4 (water near3 mark $4))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2009/09/07 13:50
S16	1	S12 and modif$8	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2009/09/07 13:48

S15	0	S12 and edit$4	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2009/09/07 13:47
S14	1	S12 and (edit$4 modif$7 manipulat $4)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2009/09/07 13:44
S13	1	S12 and (creat$4 generat$4)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2009/09/07 13:36
S12	1	"20030229857"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2009/09/07 13:36
S11	4	S10 and watermark	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2009/09/05 14:35
S10	134	S9 and akitoshi	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2009/09/05 14:35
S9	17288	Tsukamoto.inv.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2009/09/05 14:35
S8	3629	358/1.1,530,531,534,537.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2009/09/05 14:33
S7	2519	715/200,255,271,272.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2009/09/05 14:33
S6	216	S5 and original	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2009/09/05 13:55
S5	249	S3 and extract$4	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2009/09/05 13:52
S4	6	S3 and decorat$5	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2009/09/05 13:39
S3	364	S2 and @ad<="20040223"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2009/09/05 13:39

| S2 | 673 | S1 and (watermark barcode (water near3 mark) (bar near3 code)) | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2009/09/05 13:38 |
| S1 | 1710 | embed$4 with (edit$4 modif$7) with (document image) | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2009/09/05 13:38 |

EAST Search History (Interference)

< This search history is empty>

3/10/10 11:02:51 PM
C:\Documents and Settings\CNguyen13\My Documents\EAST\workspaces\10590143.wsp